

MATERIAL SAFETY DATA SHEET

Edition: 04 **Date:** 17/01/2019 **Pages:** 1 of 2

1. IDENTIFICATION: 2609-xxxx (x due to colour)

Company: GISLAVED FOLIE AB BOX 518 S-33228 GISLAVED SWEDEN

Issuer: Sune Olsson Development departement

2. HAZARDS IDENTIFICATION

Adverse human health effects: No specific hazards when handled in accordance with good

occupational hygiene practice.

Fire or explosion hazards: No particular.

Classification/Specific hazards: According to EU criteria this product is not classified as a "hazardous

substance".

3. COMPOSITION

o. Comi con ion			
Substance		CAS-nr.	Content
Polymer	Polyvinylchloride	9002-86-2	50-75 %
Plasticizer 1	Di-Ethyl-Hexyl-phtalate (DEHP)	117-81-7	15-25 %
Plasticizer 2	Di-octyl-adipate (DOA)	103-23-1	5-15 %
Stabilizer	Barium/Zink salt	2232918	0,5-1,5 %
Flame retardant	Antimonyoxide	1309-64-4	1-3 %

4. FIRST AID MEASURES

After inhalation: No adverse effects anticipated by this route of exposure incidental to

proper industrial handling.

After skin contact: If contact with molten product occurs, treat as for ordinary burns.

After eye contact: See skin contact above. See a physician

After ingestion: Not applicable.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water fog or fine spray. Carbon dioxide. Dry chemical. Synthetic

foams.

Protections of firefighters: Wear positive-pressure self-contained breathing apparatus and

protective fire fighting clothing.

Hazardous combustion Dense smoke is emitted when burned without sufficient oxygen. The

products: smoke may contain gases as HCL and carbonoxide.

Specific methods of firefighting: Soak thoroughly with water to cool and prevent reignition

6. ACCIDENTAL RELEASE MEASURES

Spillage: Recover if possible, or dispose of according to applicable

regulations.

7. HANDLING AND STORAGE

Handling: Good ventilation during heating of the product. Ground foil to prevent

static charge.

Storage: Store in a dry place away from direct sunlight. Don't expose to

temperatures exceeding 60°C

8. EXPOSURE CONTROLS

Personal protection: Not ordinarily required.



MATERIAL SAFETY DATA SHEET

Edition: 04 **Date:** 17/01/2019 **Pages:** 2 of 2

1. IDENTIFICATION: 2609-xxxx (x due to colour)

Company: GISLAVED FOLIE AB BOX 518 S-33228 GISLAVED SWEDEN

Issuer: Sune Olsson Development departement

9. PHYSICAL AND CHEMICAL PROPERTIES

Product: Calendered soft laminated plastic foil

Example of use:

Melting range: $>150\,^{\circ}\text{C}$ Maximum usage temperature: $60\,^{\circ}\text{C}$ Solubility in water: Negligible Density: $1,26\,$ kg / dm³

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Conditions to avoid: Fast decomposition at temperatures exceeding 300 ℃

Hazardous decomposition

products: On combustion or on decomposition releases toxic gases.

11. TOXICOLOGICAL INFORMATION

General: Considered to be physiologically inert.

12. ECOLOGICAL INFORMATION

Persistence/Degradability: Not easy biodegradable

Ecotoxicity: In the aquatic environment, this product should not present

problems.

13. DISPOSAL CONSIDERATIONS

Destruction: Not contaminated material can be recycled. Scrap materials may be

disposed at landfills according to local regulations, or preferable by

incineration under approved conditions.

14. TRANSPORT INFORMATION

Rail/ road/ sea/ air: Product is not classified as hazardous, for any mode of

transportation.

15. REGULATORY INFORMATON

EU Classification and user This product does not require classification according to the criteria

labelling information: of the Commission of the European Union.

16. OTHER INFORMATION

The given information is based on the present status of knowledge and experience, without prejudice. These data shall describe our product refering to questions of safety, but no declaration of properties or quality.

This Material Safety Data Sheet complies with basic EU regulatory requirements for Material Safety Data Sheets, on the date of publication.

B-085-GB (pvc) This edition raise and replaces all earlier editions.